

 **ROXITE**®

An ROXSTAR HOME INNOVATIONS'S product

Stronger than **Stone!**



WE
ARE

ROXSTAR
HOME INNOVATIONS LLP

 **ROXITE**®

**1ST
TIME IN
INDIA**

Most Durable Door & Window Frames





Tile Adhesives



Door & Window Frames



Tiles



We Nation one Price
Committed District one Dealer

Feel the elegance of
Nature blended with
Technology




“Nature always seems
trying to talk to us
as if she had some great
secret to tell. And so she has.”

- John Lubbock



More than STONE

Initiating rock with technology, amalgamation of nature with technology, fusion of nonpareil standards with your consolation. We escort luxury to your doorway, Experience the most cosy and perishable product at commercial and home spaces. we never let you down your trust, We keep our promise of commitment towards quality delve the most stylish and imperishable brand at all your construction needs.





Three vertical panels of different materials are shown on the left side of the image. The first panel on the left is a dark brown wood with a visible grain. The middle panel is a black material with a fine, speckled texture. The third panel on the right is a solid gold color. All three panels are 15mm thick and have a slightly angled top edge.

Crafted with Revolutionary Innovation

- ~ 15mm Thickness
- ~ Stronger than Granite
- ~ Elegant Designs
- ~ Flexible Body
- ~ Thermal Resistant
- ~ Stain Resistant
- ~ Easy Installation
- ~ Eco Friendly
- ~ No Maintenance
- ~ Suitable for all weathers

Stronger than Stone!



Kitchen Tops



Door & Window Frames



Stairs



Bar Counters



Lift Area



Railing Base

80 X 240 cm | 80 X 300cm | 66 X 240 cm | Door & Window Frames


© Strongly recommended



Adhesive for fixing the Frames & Slabs

“ *Quality* of the product is a great marketing tool
Good Product doesn't need Advertising ”

The Door





Door Frames


Available frame sizes

10.5 inch X 3.5 feet
7 inch X 3.5 feet
5 inch X 3.5 feet
4 inch X 3.5 feet
3 inch X 3.5 feet
2 inch X 3.5 feet



10.5 inch X 7.8 feet
7 inch X 7.8 feet
5 inch X 7.8 feet
4 inch X 7.8 feet
3 inch X 7.8 feet
2 inch X 7.8 feet



The Window



Window Frames




10.5 inch X 3.5 feet
7 inch X 3.5 feet
5 inch X 3.5 feet
4 inch X 3.5 feet
3 inch X 3.5 feet
2 inch X 3.5 feet

10.5 inch X 4.5 feet
7 inch X 4.5 feet
5 inch X 4.5 feet
4 inch X 4.5 feet
3 inch X 4.5 feet
2 inch X 4.5 feet

10.5 inch X 5.5 feet
7 inch X 5.5 feet
5 inch X 5.5 feet
4 inch X 5.5 feet
3 inch X 5.5 feet
2 inch X 5.5 feet

Available frame sizes



Door Frame Styles

9" Wall FRENCH

7.8' x 10.5" - 2 pcs
 7.8' x 3" - 2 pcs
 7.8' x 3" L Cut - 4 pcs

3.5' x 10.5" - 1 pcs
 3.5' x 3" - 1 pcs
 3.5' x 3" L Cut - 2 pcs

Approx - 31.3 Sqft/Set

9" Wall - INDIAN

7.8' x 7" - 2 pcs
 7.8' x 5" - 2 pcs
 7.8' x 3" L Cut - 4 pcs

3.5' x 7" - 1 pcs
 3.5' x 5" - 1 pcs
 3.5' x 3" L Cut - 2 pcs

Approx - 28.9 Sqft/Set

6" Wall FRENCH

7.8' x 7" - 2 pcs
 7.8' x 2" - 2 pcs
 7.8' x 3" L Cut - 4 pcs

3.5' x 7" - 1 pcs
 3.5' x 2" - 1 pcs
 3.5' x 3" L Cut - 2 pcs

Approx - 24.0 Sqft/Set

6" Wall INDIAN

7.8' x 4" - 2 pcs
 7.8' x 3" - 2 pcs
 7.8' x 3" L Cut - 4 pcs

3.5' x 4" - 1 pcs
 3.5' x 3" - 1 pcs
 3.5' x 3" L Cut - 2 pcs

Approx - 20.9 Sqft/Set

Note : 12 Feet frames also available in limited shades on customised Orders

Window Frame Styles

9" Wall - 4x5 ft

4.5' x 7" - 2 pcs
 4.5' x 5" - 2 pcs
 4.5' x 3" L Cut - 4 pcs

5.5' x 7" - 2 pcs
 5.5' x 5" - 2 pcs
 5.5' x 3" L Cut - 4 pcs

Approx - 30.0 Sqft/Set

9" Wall - 4x3 ft

4.5' x 7" - 2 pcs
 4.5' x 5" - 2 pcs
 4.5' x 3" L Cut - 4 pcs

3.5' x 7" - 2 pcs
 3.5' x 5" - 2 pcs
 3.5' x 3" L Cut - 4 pcs

Approx - 24.0 Sqft/Set

9" Wall - 4x2 ft

4.5' x 7" - 2 pcs
 4.5' x 5" - 2 pcs
 4.5' x 3" L Cut - 4 pcs

2.25' x 7" - 2 pcs
 2.25' x 5" - 2 pcs
 2.25' x 3" L Cut - 4 pcs

Approx - 20.2 Sqft/Set

9" Wall - 1x2 ft

1.25' x 7" - 2 pcs
 1.25' x 5" - 2 pcs
 1.25' x 3" L Cut - 4 pcs

2.25' x 7" - 2 pcs
 2.25' x 5" - 2 pcs
 2.25' x 3" L Cut - 4 pcs

Approx - 12.0 Sqft/Set

9" Wall - 5x5 ft

5.5' x 7" - 4 pcs
 5.5' x 5" - 4 pcs
 5.5' x 3" L Cut - 8 pcs

Approx - 33.0 Sqft/Set

9" Wall - 4x4 ft

4.5' x 7" - 4 pcs
 4.5' x 5" - 4 pcs
 4.5' x 3" L Cut - 8 pcs

Approx - 27.0 Sqft/Set

9" Wall - 3x3 ft

3.5' x 7" - 4 pcs
 3.5' x 5" - 4 pcs
 3.5' x 3" L Cut - 8 pcs

Approx - 21.0 Sqft/Set


9" Wall - 2x2 ft

2.25' x 7" - 4 pcs
 2.25' x 5" - 4 pcs
 2.25' x 3" L Cut - 8 pcs



Approx - 13.5 Sqft/Set

Note : 2ft - Half cut of 5ft & 1ft - Half cut of 3ft.

The Steps




The Tops





Rox Slabs

80 X 300 cm / 15mm



80 X 240 cm / 15mm



66 X 240 cm / 15mm



2inch X 240 cm / 15mm / 45°



 **ROXITE**®

Granitos

Granitos


Polish & Matt



80x300cm | 80x240cm | 66x240cm | Frames



Granito White



Granito Black



Granito Choco

Granitos

Polish & Matt



80x300cm | 80x240cm | 66x240cm | Frames



Granito Crema



Granito Beige



Granito Brown



ROXITE[®]


Galaxies

Galaxies

Polish & Matt



80x300cm | 80x240cm | 66x240cm | Frames




Galaxies

Polish & Matt



80x300cm | 80x240cm | 66x240cm | Frames






Solids

Rox Solids

Polish & Matt



80x240cm | 66x240cm | Frames



Rox Glam White



Rox Dove




Rox Grey

Rox Solids

Polish & Matt



80x240cm | 66x240cm | Frames





Rox Solids

Polish & Matt



80x240cm | 66x240cm | Frames



Rox Solids

Polish & Matt



80x240cm | 66x240cm | Frames



Rox Royals


Polish & Matt



80x300cm | 80x240cm | 66x240cm | Frames




Rox Cinnamon



Rox Quartz



More than
WOOD



Rox Woods

Luxy Tecno Matt

 **ROXITE**®

80x300cm | Frames



Rox Woods

Wooden Matt

 **ROXITE**[®]

80x300cm | Frames



Rox Wood Teak



Rox Wood Cherry

More than
WOOD

Edge Possibilities




Sandwich Bullnose



Sandwich Pencil Edge



Sandwich Reverse Bevel



Sandwich 1/4 Round
Double side



Half Bullnose



1/2 Bevel



Reverse Bevel



1/4 Round



Full Bullnose



DuPont



Ogee



Cove

Cleaning & Maintenance

High-quality raw materials, rigorous production parameters, and world-class technology make the exclusive offering nonporous and thus no dust or deposited waste penetrates the surface.

The no-maintenance surfaces require only a damp cloth for cleaning. Routine & recurring cleaning spotlights the aesthetic features of the surfaces and keeps the surfaces shining.

Type Of Stain	Recommended Cleaning Agent
Grease	Detergent
Oil, Turmeric	Baking Soda
Rust	Vinegar & Red Harpic
Cement & Plaster	Hydrochloric Acid
Rubber	Thinner
Lime , Iodine, Blood, Ice Cream,Wine, Coffee & Ink.	Liquid Bleach

Note: It is recommended that any kind of stain needs to get cleaned immediately as soon as possible.

Technical Specifications

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/ EN14411 Gr.BIa	STANDARD AS PER IS 15622:2017 Gr.BIa	ROXITE VALUES (Based on OEM Values)	METHOD OF TESTING
Regulatory Properties				
Deviation in Length and Width	±0.30 % (±1.00 mm)	±0.10 %	± 0.10 %	ISO 10545-2/IS 13630-1
Deviation in Thickness	±5.0 % (± 0.50 mm)	±5.0 %	± 5.0 %	ISO 10545-2/IS 13630-1
Straightness in Side	±0.30 % (± 0.80 mm)	±0.10 %	± 0.10 %	ISO 10545-2/IS 13630-1
Rectangularity	±0.30 % (±1.50 mm)	±0.10%	± 0.10 %	ISO 10545-2/IS 13630-1
Surface Flatness Central Curvature	±0.40 % (± 1.80 mm)	±0.50 %	± 0.20 %	ISO 10545-2/IS 13630-1
Surface Flatness Edge Curvature	±0.40 % (± 1.80 mm)	±0.50 %	± 0.20 %	ISO 10545-2/IS 13630-1
Surface Flatness Warpage	±0.40 % (± 1.80 mm)	±0.50 %	± 0.10 %	ISO 10545-2/IS 13630-1
Surface Quality	>95% defects free	>95% defects free	>95% defects free	ISO 10545-2/IS 13630-1
Small Color Difference (For Plain Colour)	ΔE <1.00	N.A.	ΔE <0.80	ISO 10545-16
Glossiness (Polished)	As per Manufacturer	As per Manufacturer	≥ 90	Gloss Meter 60°
Glossiness (Satin)	As per Manufacturer	As per Manufacture	7 ≤ Gloss Value ≤ 25	Gloss Meter 60°
Structural Properties				
Water Absorption	≤0.50 %	≤0.080 %	≤0.080 %	ISO 10545-3/IS 13630-2
Bulk Density	As per Manufacturer	Min 2.20 g/cc	> 2.28 gm/cc	ISO 10545-3/IS 13630-2
Massive Mechanical Properties				
Modulus of Rupture	Min. 35.0 N/mm ²	Min. 35.0 N/mm ²	Min. 40.0 N/mm ²	SO 10545-4/IS 13630-6
Breaking Strength Thickness ≥7.5 mm	Min 1300.0 N	Min 1300.0 N	Min 6000.0 N	ISO 10545-4/IS 13630-6
Surface Mechanical Properties				
Mohs Hardness #	As per Manufacturer	Min. 5	Polished Min 4**/ Satin & Posh Min 6	BS EN 15771/IS 13630-13
Surface Abrasion Resistance #	As per Manufacturer	Min. Class II	Polished Min II**/ Satin & Posh Min III	ISO 10545-7/IS 13630-11
Thermal Hygrometric Properties				
Moisture Expansion	Max 0.06% (0.6 mm/m)	Max 0.02 mm/m	Max 0.02 mm/m	ISO 10545-10/IS 13630-3
Thermal Expansion(COE) at 100°C	As per Manufacturer	Max. 6.0 x 10 ⁻⁶	Max. 6.0 x 10 ⁻⁶	ISO 10545-8/IS 13630-4
Thermal Shock Resistance	Min 10 Cycles	Min 10 Cycles	Min 10 Cycles	ISO 10545-9/IS 13630-5
Impact Resistance(COR) #	Min. 0.55	Min 0.55	Min 0.55	ISO 10545-5/IS 13630-14
Frost Resistance	As per Manufacturer	As per Manufacturer	Frost Proof	ISO 10545-12/IS 13630-10
Crazing Resistance at 7.5 bar	4 Cycles	4 Cycles	4 Cycles	ISO 10545-11/IS 13630-9
Chemical Properties				
Resistance to Staining Glazed	Min. Class 3	Min Class 1	Min. Class 3/Min. Class 1	ISO 10545-14/IS 13630-8
Resistance to Household Chemicals & Swimming Pool Salts Glazed	Min Class GB	Min Class AA	Min Class GB/Min Class AA	ISO 10545-13/IS 13630-8
Resistance to Low Concentrate Acid and Alkalis Glazed	As per Manufacturer	As per Manufacturer	Min Class GLB***/ Min Class A***	ISO-10545-13/IS 13630-8
Resistance to High Concentrate Acid and Alkalis Glazed	As per Manufacturer	As per Manufacturer	Min Class GHB***/ Min Class A***	ISO-10545-13/IS 13630-8
Safety Properties				
Skid Resistance - (DCOF-WET PENDULUM)##	As per Manufacturer	As per Manufacturer	Glossy ≥P0,Satin,Posh ≥P1	BS 7976-2
Slip Resistance -Satin/Posh (DCOF- R Value)##	As per Manufacturer	As per Manufacturer	R9 to R10	DIN 51130
Lead and Cadmium release	As per Manufacturer	N.A.	Does not yield Pb & Cd	ISO-10545-15

Packing Details

Item Size		Weight		Packing	
Inch	Centimeter	Piece	Box	Pcs / Box	Sqft / Box
7.8 Feet					
10.5 x 94.5 Inch	27 x 240 cm	22.3 Kg	89 Kg	4	27.56 Sqft
7.0 x 94.5 Inch	18 x 240 cm	14.9 Kg	60 Kg	4	18.37 Sqft
5.0 x 94.5 Inch	13 x 240 cm	10.6 Kg	43 Kg	4	13.12 Sqft
4.0 x 94.5 Inch	10 x 240 cm	8.5 Kg	34 Kg	4	10.50 Sqft
3.0 x 94.5 Inch	8 x 240 cm	6.4 Kg	26 Kg	4	7.87 Sqft
5.5 Feet					
10.5 x 66.0 Inch	27 x 168 cm	15.6 Kg	62 Kg	4	19.25 Sqft
7.0 x 66.0 Inch	18 x 168 cm	10.4 Kg	42 Kg	4	12.83 Sqft
5.0 x 66.0 Inch	13 x 168 cm	7.4 Kg	30 Kg	4	9.17 Sqft
4.0 x 66.0 Inch	10 x 168 cm	5.9 Kg	24 Kg	4	7.33 Sqft
3.0 x 66.0 Inch	8 x 168 cm	4.5 Kg	18 Kg	4	5.50 Sqft
4.5 Feet					
10.5 x 54.0 Inch	27 x 137 cm	12.8 Kg	51 Kg	4	15.75 Sqft
7.0 x 54.0 Inch	18 x 137 cm	8.5 Kg	34 Kg	4	10.50 Sqft
5.0 x 54.0 Inch	13 x 137 cm	6.1 Kg	24 Kg	4	7.50 Sqft
4.0 x 54.0 Inch	10 x 137 cm	4.9 Kg	19 Kg	4	6.00 Sqft
3.0 x 54.0 Inch	8 x 137 cm	3.6 Kg	15 Kg	4	4.50 Sqft
3.5 Feet					
10.5 x 42.0 Inch	27 x 107 cm	9.9 Kg	40 Kg	4	12.25 Sqft
7.0 x 42.0 Inch	18 x 107 cm	6.6 Kg	26 Kg	4	8.17 Sqft
5.0 x 42.0 Inch	13 x 107 cm	4.7 Kg	19 Kg	4	5.83 Sqft
4.0 x 42.0 Inch	10 x 107 cm	3.8 Kg	15 Kg	4	4.67 Sqft
3.0 x 42.0 Inch	8 x 107 cm	2.8 Kg	11 Kg	4	3.50 Sqft
2 In Strip					
2.0 x 94.5 Inch	5 x 240 cm	4.3 Kg	26 Kg	6	7.87 Sqft
2.0 x 118 Inch	5 x 300 cm	5.3 Kg	32 Kg	6	9.83 Sqft
Slabs					
26 x 94.5 Inch	66 x 240 cm	55.3 Kg	55 Kg	1	17.06 Sqft
31.5 x 94.5 Inch	80 x 240 cm	67.0 Kg	67 Kg	1	20.67 Sqft
26 x 118 Inch	66 x 300 cm	69.0 Kg	69 Kg	1	21.31 Sqft
32 x 118 Inch	80 x 300 cm	83.6 Kg	84 Kg	1	25.81 Sqft

WE
ARE

ROXSTAR
HOME INNOVATIONS LLP

Manufactured & Marketed by
ROXSTAR HOME INNOVATIONS LLP,
Plot No-10, SR No-38,
Opp tatkalorry.com office, Near Sayaji Hotel, Lalpar,
MORBI , GUJARAT-363642.

roxstarhomeinnovationsllp@gmail.com